

NOTICE OF APPROVAL

Issued by statutory authority of the Minister of Industry
for:

TYPE OF DEVICE

Instrument Transformer: Voltage

AVIS D'APPROBATION

Émis en vertu du pouvoir statutaire du ministre de
l'Industrie pour:

APPLICANT

ABB Power T&D Co. Inc.
Highway #43 North
P.O. Box 687
Pinetops, NC, 27864
USA

TYPE D'APPAREIL

Transformateur de mesure: tension

REQUÉRANT

ABB Power T&D Co. Inc.
Highway #43 North
P.O. Box 687
Pinetops, NC, 27864
USA

MANUFACTURER

FABRICANT

MODEL(S)/MODÈLE(S) Style/Genre

VOZ-11M
7525A91G05
7525A91G06
7525A91G07
CSA7525A91G05
CSA7525A91G06

RATING/ CLASSEMENT

7200-120 V
7620-120 V
8400-120 V
7200-120 V
7620-120 V

Accuracy class / Classe de précision: 0.3WXYZ, 0.6ZZ
Frequency / Fréquence: 60 Hz
Voltage class / Catégorie de tension: 15 kV

NOTE: This approval applies only to meters, the design, composition, construction and performance of which are, in every material respect, identical to that described in the material submitted, and that are typified by samples submitted by the applicant for evaluation for approval in accordance with sections 13 and 14 of the Electricity and Gas Inspection Regulations. The following is a summary of the principal features only.

SUMMARY DESCRIPTION:

These moulded type single post transformers are designed for outdoor use and for a line to ground connection.

REVISIONRev. 1

The purpose of this revision is to include additional style numbers (CSA7525A91G05 and CSA7525A91G06).

REMARQUE: Cette approbation ne vise que les compteurs dont la conception, la composition, la construction et le rendement sont identiques, en tout point, à ceux qui sont décrits dans la documentation reçue et pour lesquels des échantillons représentatifs ont été fournis par le requérant aux fins d'évaluation, conformément aux articles 13 et 14 du Règlement sur l'inspection de l'électricité et du gaz. Ce qui suit est une brève description de leurs principales caractéristiques.

DESCRIPTION SOMMAIRE:

Les appareils visés sont des transformateurs moulés à poteau unique pour utilisation à extérieur et branchement ligne-terre.

RÉVISIONRév. 1

Le but de cette révision est d'inclure des numéros de style additionnels (CSA7525A91G05 et CSA7525A91G06).

EVALUATED BY


Original
Marcel St.Jean
Complex Approvals Examiner
Tel: (613) 952-0647
Fax: (613) 952-1754

Rev. 1
Robert Delcourt
a/Approval Technical Coordinator
Tel: (613) 952-1308
Fax: (613) 952-1754

ÉVALUÉ PAR

Original
Marcel St.Jean
Examinateur d'approbations complexes
Tél: (613) 952-0647
Fax: (613) 952-1754

Rév.1
Robert Delcourt
ff/Coordonnateur en technologie
Tel: (613) 952-1308
Fax: (613) 952-1754



APPROVAL:

The design, composition, construction and performance of the meter type(s) identified herein have been evaluated in accordance with regulations and specifications established under the Electricity and Gas Inspection Act. Approval is hereby granted accordingly pursuant to subsection 9(4) of the said Act.

The sealing, marking, installation, use and manner of use of meters are subject to inspection in accordance with regulations and specifications established under the Electricity and Gas Inspection Act. The sealing and marking requirements are set forth in specifications established pursuant to section 18 of the Electricity and Gas Inspection Regulations. Installation and use requirements are set forth in specifications established pursuant to section 12 of the Regulations. Verification of conformity is required in addition to this approval for all metering devices excepting instrument transformers. Inquiries regarding inspection and verification should be addressed to the local inspection office of Industry Canada.

Original copy signed by:

René Magnan, P. Eng
Director
Approval Services Laboratory

APPROBATION:

La conception, la composition, la construction et le rendement du(des) type(s) de compteurs identifié(s) ci-dessus, ayant fait l'objet d'une évaluation conformément au Règlement et aux prescriptions établis aux termes de la Loi sur l'inspection de l'électricité et du gaz, la présente approbation est accordée en application du paragraphe 9(4) de la dite Loi.

Le scellage, l'installation, le marquage, et l'utilisation des compteurs sont soumis à l'inspection conformément au Règlement et aux prescriptions établis aux termes de la Loi sur l'inspection de l'électricité et du gaz. Les exigences de scellage et de marquage sont définies dans les prescriptions établies en vertu de l'article 18 du Règlement sur l'inspection de l'électricité et du gaz. Les exigences d'installation et d'utilisation sont définies dans les prescriptions établies en vertu de l'article 12 du dit règlement. Sauf dans les cas des transformateurs de mesure, une vérification de conformité est requise. Toute question sur l'inspection et la vérification de conformité doit être adressée au bureau local d'Industrie Canada.

Copie authentique signée par:

René Magnan, ing.
Directeur
Laboratoire des services d'approbation

Date: **DEC 20 1999**

Web Site Address / Adresse du site internet:
<http://mc.ic.gc.ca>