



Consumer and
Corporate Affairs Canada

Legal Metrology

Consommation
et Corporations Canada

Métrieologie légale

APPROVAL NO. - N° D'APPROBATION

S.WA-T356

FEB - 8 1985

NOTICE OF TEMPORARY APPROVAL

Issued by statutory authority of
the Minister of Consumer and Corporate
Affairs under application by:

Les Balances Canadiennes
Bourbeau & Frères Inc.
5460 Vanden Abeele
Ville St.-Laurent, Quebec (H4S 1P8)

for the following device type(s):

TYPE OF DEVICE /
TYPE D'APPAREIL:

Full Electronic Platform Scale /
Bascule entièrement électronique

MODEL DESIGNATION(S) /
DESIGNATION(S) DES MODÈLES:

B.C.E. 1040

AVIS D'APPROBATION TEMPORAIRE

Accordée en vertu du pouvoir sta-
tutaire du Ministre de Consommation et
Corporations à la demande de:

pour les types d'appareils suivants:

MANUFACTURER /
FABRICANT:

Les Balances Canadiennes
Ville St.-Laurent, Quebec

RATING-CAPACITY-RANGE(S) /
CLASSEMENT-CAPACITE-ETENDUE(S):

40 tons/tonnes
or metric equivalent / ou l'équivalent
métrique.

NOTE: This approval applies only to devices, the design, composition, construction and performance of which are, in every material respect, identical to that described in the information submitted and are typified by the sample(s) submitted by the applicant for evaluation for approval in accordance with sections 14 and 15 of the Weights and Measures Regulations. The following is a summary of salient features only.

REMARQUE: La présente approbation ne vise que les appareils dont la conception, la composition, la construction et le rendement sont identiques, en tout point, à ceux qui sont décrits dans la documentation reçue et pour lesquels des échantillons représentatifs ont été fournis par le requérant aux fins de d'évaluation, conformément aux articles 14 et 15 du Règlement sur les poids et mesures. Ce qui suit est une brève description de leurs principales caractéristiques.

SUMMARY DESCRIPTION:

This device is a full electronic platform scale that when interfaced to an approved and compatible digital weight indicator becomes a weighing machine.

The weighbridge is fabricated from steel "I-beams" and cross members. The 10'x10' load receiving element and the weighbridge are supported by four (4) 50 000 lb compression type load cells.

Lateral and longitudinal movement of the weighbridge is restricted by means of stay rods.

DESCRIPTION SOMMAIRE:

Cet appareil est une bascule entièrement électronique qui lorsque relié à un dispositif d'affichage numérique du poids, approuvé et compatible, constitue un appareil de pesage.

Le châssis récepteur est composé de poutres maîtresses (I-beams) en acier et d'entretoises. La tablier 10'x10' et le châssis récepteur sont supportés par quatre (4) cellules de pesage de 50 000 lb chacune, travaillant en compression.

Des tirants de stabilisation restreignent le déplacement latéral et longitudinal du châssis récepteur.

APPROVAL:

The design, composition, construction and performance of the device type(s) identified herein being under evaluation for approval in accordance with regulations and specifications relating thereto, established under the Weights and Measures Act, temporary approval for the period necessary to complete such evaluation is hereby granted pursuant to subsection 3(2) of the said Act. All devices installed for use in trade under authority of this temporary approval shall be modified as may be necessary to conform to all applicable regulations and specifications or shall be removed from service upon approval being granted or denied pursuant to subsection 3(1) of the said Act. These temporary approval terms shall be made known by the seller in writing to the purchaser prior to any sale of devices of the identified type(s).

The marking, installation, use and manner of use in trade of devices are subject to inspection in accordance with regulations and specifications relating thereto, established under the Weights and Measures Act, and certification of conformity is required in addition to this approval. Inquiries regarding inspection and certification of conformity should be addressed to the local inspection office of Consumer and Corporate Affairs Canada. Requirements relating to marking are set forth in sections 18 to 26 of the Weights and Measures Regulations. Requirements relating to installation, use and manner of use are set forth in Part V and in specifications established pursuant to section 27 of the said Regulations.

APPROBATION:

La conception, la composition, la construction et le rendement des types d'appareils identifiés ci-dessus faisant présentement l'objet d'une évaluation aux fins d'approbation conformément au Règlement et aux prescriptions établis en vertu de la Loi sur les poids et mesures, une approbation temporaire est accordée par les présentes, pour la durée de ladite évaluation, en application du paragraphe 3(2) de ladite loi. Tous les appareils installées en vertu de la présente approbation temporaire devront être modifiés comme il se doit afin de satisfaire à toutes les exigences pertinentes du Règlement et des prescriptions relatives ou devront être retirés de service si une approbation est accordée ou refusée en application du paragraphe 3(1) de ladite loi. Avant de vendre tout appareil des types identifiés, le vendeur doit informer l'acheteur, par écrit, des conditions de la présente approbation temporaire.

Le marquage, l'installation, l'utilisation et le mode d'emploi des appareils sont soumis à l'inspection conformément au Règlement et aux prescriptions établis en vertu de la Loi sur les poids et mesures, et doivent être certifiés conformes en sus d'être approuvés par les présentes. Toute demande de renseignements sur l'inspection et la certification de la conformité doit être adressée au bureau d'inspection local de Consommation et Corporations Canada. Les exigences de marquage sont définies dans les articles allant de 18 à 26 du Règlement sur les poids et mesures. Les exigences relatives à l'installation, à l'utilisation et au mode d'emploi sont définies dans la partie V et dans les prescriptions établies en vertu de l'article 27 dudit règlement.

APPROVAL: Continued

Compliance with the following additional requirements is a condition of this temporary approval.

This approval covers 10 devices only. Each device sold, leased or otherwise disposed of, must be reported to the Head, Mass Laboratory, Legal Metrology Branch, in Ottawa, by the manufacturer or distributor.

This approval to expire two years from date of issue.

APPROBATION: Suite

La présent approbation temporaire est accordée sous réserve de conformité aux exigences supplémentaires suivantes.

La présente approbation ne vise que 10 appareils. Le fabricant ou le distributeur doit faire part de tout appareil vendu, loué ou cédé de quelque autre façon, au chef du Laboratoire des masses, Direction de la Métrologie légale, à Ottawa.

La présent approbation expire deux ans après sa date d'émission.



W.R. Virtue

Chief
Legal Metrology Laboratories

Chef
Laboratoires de la Métrologie légale

PES - 8 1985