



TRADE AND COMMERCE  
CANADA

STANDARDS BRANCH

S-WA. 436

OTTAWA March 5, 1962.

APPROVAL LISTING

PLATFORM DIAL BENCH SCALES

FAIRBANKS-MORSE

CANADIAN LOCOMOTIVE

Under the provisions of the Weights and Measures Act, Chapter 292, R.S.C. 1952, and Regulations thereunder (P.C. 6894), the apparatus specified and illustrated herein have been listed as approved devices and may be used in Canada in accordance with the conditions applicable.

Apparatus Listed: Platform dial bench type scales.


<u>Without Tare Beam</u>				<u>Tare Beam Exposed</u>			
<u>Model</u>	<u>Capacity</u>	<u>Model</u>	<u>Capacity</u>	<u>Model</u>	<u>Capacity</u>	<u>Model</u>	<u>Capacity</u>
5231	75 lbs.	5214	50 lbs.	5241	200 lbs.	5223	115 lbs.
5232	125 lbs.	5215	100 lbs.	5242	400 lbs.	5224	200 lbs.
5233	150 lbs.	5216	150 lbs.	5243	800 lbs.	5225	225 lbs.
				5244	1600 lbs.	5201	60 lbs.
				5221	80 lbs.	5202	120 lbs.
				5222	115 lbs.	5203	180 lbs.

<u>Tare Beam Enclosed</u>			
<u>Model</u>	<u>Capacity</u>	<u>Model</u>	<u>Capacity</u>
5251	150 lbs.	5208	60 lbs.
5252	300 lbs.	5209	120 lbs.
5253	600 lbs.	5210	180 lbs.
5254	1200 lbs.		

Manufactured by Fairbanks-Morse & Company, St. Johnsbury, Vermont, U.S.A. and Canadian Locomotive Company, Limited, Kingston, Ontario.

Application: Weighing commodities in general trade, warehouse and industrial use.

Conditions: As prescribed in P.C. 6894.





(

(

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100


FAIRBANKS-MORSE & COMPANY  
CANADIAN LOCOMOTIVE COMPANY  
BENCH DIAL SCALES  
MODEL 5242      MODEL 5201


S-WA. 4



Description: These devices are bench type platform scales equipped with a 360° service "FLCAXIAL" dial mechanism. The scales may or may not be fitted with tare beams. The underdeck leverage system consists of two cast iron A type levers linked to a transfer lever. The fulcrum pivot and bearing of the transfer lever are supported by adjustable brackets and the nose iron is not adjustable. The platform is supported on a frame which is suspended from the load pivots. The platform and pillar are cast aluminum and the base is cast iron.

Testing: The standard tests for a platform bench dial scale shall apply.

  
C. S. Phillips,  
Chief (W&M),  
Standards Branch.

  
K. W. MacLean,  
Director,  
Standards Branch.

Reference: A-347