



DEPARTMENT OF TRADE AND COMMERCE  
STANDARDS BRANCH

OTTAWA, August 20, 1964.

APPROVAL LISTING

EASTERN SCALE                      WESTERN SCALE

MOTOR TRUCK SCALES

Under the provisions of the Weights and Measures Act, Chapter 292, R.S.C. 1952, and Regulations thereunder (P.C. 6894), the apparatus specified and illustrated herein have been listed as approved devices and may be used in Canada in accordance with the conditions applicable.

Apparatus Listed:                      Motor Truck Scales for permanent installation equipped with full capacity beam, type registering beam, or cabinet dial, including model numbers as follows:

<u>2 Section</u>		<u>3 Section</u>		<u>4 Section</u>	
	Maximum		Maximum		Maximum
<u>Model</u>	<u>Capacity</u>	<u>Model</u>	<u>Capacity</u>	<u>Model</u>	<u>Capacity</u>
1018SR,	15 tons	30343SR,	35 tons	5045SR,	55 tons
1522SR,	20 tons	40343SR,	45 tons	5050SR,	55 tons
2024SR,	25 tons	40403SR,	45 tons	5060SR,	55 tons
2034SR,	25 tons	50403SR,	55 tons	5065SR,	55 tons
3024SR,	35 tons	50453SR,	55 tons	6045SR,	65 tons
3034SR,	35 tons			6050SR,	65 tons
				6060SR,	65 tons
				7545SR,	80 tons
				7550SR,	80 tons
				7560SR,	80 tons
<u>5 Section</u>					
	Maximum				
<u>Model</u>	<u>Capacity</u>				
50705SR,	55 tons				
60705SR,	65 tons				
75705SR,	80 tons				

Manufactured by Eastern Scale Works Limited,  
30 Carnforth Road, Toronto 16, Ontario and Western  
Scale Company Limited, 680 Industrial Avenue,  
Vancouver 10, B. C.

When the symbol CD. is used after the model number,  
it indicates cabinet dial head.

Rating of Apparatus:                      From 10 to 80 tons.

Application:                                      To weigh loaded or unloaded vehicles in general trade use.





Conditions: As prescribed in P.C. 6894.

Descriptions: These devices are two, three, four and five section vehicle scales for permanent installation. They are of the pipe T lever design. The lever systems are supported by bearing stands and utilize the double link suspension system. The deck surface may be constructed of concrete, timber or steel. The balance ball adjustment is operated by a separate tool.

The Dial Heads may or may not be supplied with ticket printers and remote indicators. Dial heads are supplied by Detecto Scale Company, Brooklyn, New York, U.S.A.


Testing: The standard tests for a vehicle scale shall apply.


  
C. S. Phillips,  
Chief, Weights and Measures Division,  
Standards Branch.

  
R. W. MacLean,  
Director,  
Standards Branch.

Reference: SL-102-644.

---





(

(