

RECORD OF APPROVAL ACTION

Approval Listing Number - S.WA-943

(Issued in advance of preparation of draft Approval Listing only in case of Interim Approval).

Company Requesting Approval - Scale Service Supply Inc.
Oldsmar Florida 33557, U.S.A.

Type of Device Charts for Fairbanks Dial Scales

Model No. Rating or Capacity Remarks

Permanently marked numbers and letters on metal.

NOTE: The approval number with the manufacturers name, address and model number of chart must be permanently marked on the chart with numbers and letters at least 3/16" high.

Date of Application for Approval -

File No. GL 1153-57/S34

Date of Filing May 6, 1976

J. D. Buckner
.....
(Signature)

NOTE: File Record of Approval Action with Approval Listing notices when Approval Listing number is assigned in advance of preparation of notice; file book of book by Central File No. when Approval Listing number is not assigned. Remove Record of Approval Action from Approval Listing Book when the company is notified of rejection, or when Special Approval Listing notice or draft of Approval Listing notice is filed with notices; replace draft of Approval Listing notice with printed notice when available.

15" AVOIRDUPOIS CHARTS

<u>MODEL NO.</u>	<u>CAPACITY</u>
F15/50/2	51 lb. x 2 oz.
F15/100/4	100 lb. x 4 oz.

19" AVOIRDUPOIS CHARTS (TOP ZERO)

<u>MODEL NO.</u>	<u>CAPACITY</u>
FC19/60/1	60 lb. x 1 oz.
FC19/250/4	250 lb. x 4 oz.
FC19/500/8	500 lb. x 8 oz.
FC19/1000/1	1000 lb. x 1 lb.
FC19/2000/2	2000 lb. x 2 lb.
FC19/5000/5	5000 lb. x 5 lb.
FC19/10000/10	10,000 lb. x 10 lb.

19" AVOIRDUPOIS CHARTS (BOTTOM ZERO)

<u>MODEL NO.</u>	<u>CAPACITY</u>
FC19/50/1	50 lb. x 1 oz.
FC19/75/1	75 lb. x 1 oz.
FC19/125/2	125 lb. x 2 oz.
FC19/400/8	400 lb. x 8 oz.
FC19/600/8	600 lb. x 8 oz.
FC19/750/1	750 lb. x 1 lb.
FC19/1200/1	1200 lb. x 1 lb.
FC19/2400/2	2400 lb. x 2 lb.

19" COMBINATION CHARTS

OUTER - AVOIRDUPOIS (BLACK) INNER-METRIC (RED)

MODEL NO.

CAPACITY

FCC19/75/1/34/50	75 lb. x 1 oz. (34 kg x 50 g)
FCC19/125/2/56/50	125 lb. x 2 oz. (56 kg x 50 g)
FCC19/250/4/113/100	250 lb. x 4 oz. (113 kg x 100 g)
FCC19/500/8/226/250	500 lb. x 8 oz. (226 kg x 250 g)
FCC19/1000/1/453/500	1000 lb. x 1 lb. (453 kg x 500 g)
FCC19/2000/2/907/1	2000 lb. x 2 lb. (907 kg x 1 kg)
FCC19/5000/5/2267/2	5000 lb. x 5 lb. (2267 kg x 2 kg)
FCC19/10000/10/4535/5	10,000 lb. x 10 lb. (4535 kg x 5 kg)

20" AVOIRDUPOIS CHARTS

MODEL NO.

CAPACITY

FCA20/500/8	500 lb x 8 oz.
FCA20/1000/1	1000 lb. x 1 lb.
FCA20/2000/2	2000 lb. x 2 lb.
FCA20/5000/5	5000 lb. x 5 lb.
FCA20/10000/10	10,000 lb. x 10 lb.

20" COMBINATION CHARTS

<u>MODEL NO.</u>	<u>CAPACITY</u>
FCAC20/75/1/34/50	75 lb. x 1 oz. (34 kg x 50 g)
FCAC20/125/2/56/50	125 lb. x 2 oz. (56 kg x 50 g)
FCAC20/250/4/113/100	250 lb. x 4 oz. (113 kg x 100 g)
FCAC20/500/8/226/250	500 lb. x 8 oz. (226 kg x 250 g)
FCAC20/1000/1/453/500	1000 lb. x 1 lb. (453 kg x 500 g)
FCAC20/2000/2/907/1	2000 lb. x 2 lb. (907 kg x 1 kg)
FCAC20/5000/5/2267/2	5000 lb. x 5 lb. (2267 kg x 2 kg)
FCAC20/10000/10/4535/5	10,000 lb. x 10 lb. (4535 kg x 5 kg)

20" METRIC CHARTS

<u>MODEL NO.</u>	<u>CAPACITY</u>
FCAM20/20/20	20 kg x 20 g
FCAM20/30/50	30 kg x 50 g
FCAM20/50/50	50 kg x 50 g
FCAM20/75/100	75 kg x 100 g
FCAM20/100/100	100 kg x 100 g
FCAM20/125/100	125 kg x 100 g
FCAM20/200/200	200 kg x 200 g
FCAM20/250/250	250 kg x 250 g
FCAM20/500/500	500 kg x 500 g
FCAM20/750/1	750 kg x 1 kg
FCAM20/1200/1	1200 kg x 1 kg