



Consumer and
Corporate Affairs

Consommation et
corporations

Standards

Normes

**NOTICE OF APPROVAL
AVIS D'APPROBATION**

S.WA-965

Ottawa, September 16, 1976

HOWE RICHARDSON INDUSTRIAL AND AXLE

LOAD SCALES

SERIES S-20200, S-30200, S-50200,
S-60200

Manufacturer: Howe Richardson Scale Co. of Canada Ltd.,
Pointe Claire, Quebec.

Apparatus: Axle Load and Industrial Scales

<u>Model Number</u>	<u>Platform Length-Ft.</u>	<u>Capacity</u>	
		<u>Avoirdupois Tons</u>	<u>Metric Tonnes</u>
S-20208	8	25	25
S-20210	10	25	25
S-30208	8	35	35
S-30210	10	35	35
S-30212	12	35	35
S-30214	14	35	35
S-50212	12	55	55
S-50214	14	55	55
S-60212	12	65	65
S-60214	14	65	65

This scale may be equipped with any approved type of Howe Richardson mechanical or electrical indicating equipment and accessories.

Sept. 16, 1976

Rating: Capacities are as listed above.

Application: Axle load weighing of empty and loaded motor vehicles in trade, and the weighing of commodities in trade.


Description: These scales are equipped with two T-shaped load levers of welded construction. The levers are fabricated from steel pipe and structural sections. The load support system may be either ball bearing type or double link suspension type.

These scales are intended for permanent installation in a pit and may be used either for axle load weighing of trucks or the general weighing of goods at warehouses or other locations. The scale platform may be of concrete or wood.

Testing: The standard tests for axle load scales and for warehouse scales shall apply.

Reference: G6900 - H186 - 15

Conditions of Approval: Approval is granted under the Weights and Measures Act, S.C. 1970-71-72, Chapter 36, and the Weights and Measures Regulations P.C. 1974-1461 of June 27, 1974 for use in Canada under the general conditions of the said Regulations, and under any special conditions listed above.



J. D. Buchanan
Acting Chief
Weights & Measures Division
Legal Metrology Branch.

S.WA-965

Sept. 16, 1976.

HOWE RICHARDSON INDUSTRIAL AND AXLE LOAD SCALE

