



Consumer and
Corporate Affairs
Canada

Consommation
et Corporations
Canada

Legal Metrology

Métrieologie Légale

T-138

Approval No. d'approbation

Ottawa SEP 9 1982

NOTICE OF APPROVAL – AVIS D'APPROBATION

Approval granted to:

Approbation accordée à:

Markham Electric Ltd.,
7 Heritage Road
MARKHAM, Ontario
L3P 1M3


W.R. Virtue

Acting Chief
Legal Metrology Laboratories
Legal Metrology Branch
Standards Building
Tunney's Pasture, Holland Ave.,
OTTAWA, Ontario
K1A 0C9

Chef intérimaire
Laboratoires de la métrologie légale
Direction de la métrologie légale
Edifice des normes
Parc Tunney, Avenue Holland
OTTAWA, Ontario
K1A 0C9

SADTEM TYPE RY7 VOLTAGE TRANSFORMERS

The apparatus specified herein has been duly approved under the provisions of the Electricity Inspection Act R.S.C. 1970 Chapter E-4 and the Electricity Meter Regulations C.R.C. 1978 chapter 561.

Description: These are dry-type voltage transformers completely moulded in a hard epoxy compound with a steel mounting plate. The primary terminal marks H1-H2 and the secondary terminal marks X1-X2 are embossed in the transformer case.

Primary Voltage: 14400

Secondary Voltage: 120

Accuracy Rating @ 60Hz: 0.3 wxyz

Frequency: 60 Hz

Insulation Class: 25 kv

Thermal Rating: 200VA

Style: Moulded indoor

Manufactured By: SADTEM, Douai, France

Reference No.: G6565-S1187

TRANSFORMATEURS DE TENSION SADTEM, TYPE RY7

L'appareil visé par le présent avis a été dûment approuvé en vertu des dispositions de la Loi sur l'inspection de l'électricité S.R.C. 1970, chapitre E-4, et du règlement sur les compteurs électriques C.R.C. 1978, chapitre 561.

Description: Ces transformateurs de type à sec sont entièrement moulés dans l'époxy dur et sont munis d'une plaque de montage en acier. Les repères des bornes du primaire (H1 et H2) et des bornes du secondaire (X1 et X2) sont gravés en relief dans le boîtier du transformateur.

Tension au primaire: 14400

Tension au secondaire: 120

Précision à 60 Hz: 0.3 wxyz

Fréquence: 60 Hz

Catégorie d'isolation: 25 kV

Puissance thermique: 200 VA

Genre: Moulé, d'intérieur

Fabricant: SADTEM, Douai, France

No. de référence: G6565-S1187

