



Measurement Canada  
An Agency of Industry Canada

Mesures Canada  
Un Organisme d'Industrie Canada

Approval Services Laboratory  
Holland Avenue, Ottawa, ON  
K1A 0C9

Laboratoire des services d'approbation  
Avenue Holland, Ottawa, ON  
K1A 0C9

Telephone: (613) 952-0631

Téléphone: (613) 952-0631

Date: 2006-01-26  
Proj: AP-AG-98-0010

NuFlo Measuring Systems.  
A Division of NuFlo Technologies Inc.  
7944 - 10th Street N.E.  
Calgary, AB  
T2E 8W1

Attn: Mr. Gerry Coraini / Mr. Andy Seeger

**Re: Extension to approval AG-0475C**

This is to advise that the expiry date for Notice of Conditional Approval **AG-0475C** is hereby extended to 2007-01-26.

All recipients of the approval notice are being so informed by copy of this letter.

Yours truly,

Original signed by:

Pat Hardock, P.Eng.  
Senior Engineer - Gas Measurement  
Engineering and Laboratory Services Directorate

cc: Approvals Mailing List



Measurement Canada                      Mesures Canada  
An Agency of Industry Canada    Un Organisme d'Industrie Canada

Approval Services Laboratory            Laboratoire des services d'approbation  
Holland Avenue, Ottawa, ON    Avenue Holland, Ottawa, ON  
K1A 0C9    K1A 0C9

Telephone: (613) 952-0631

Téléphone: (613) 952-0631

Date: 2006-01-26  
Proj: AP-AG-98-0010

NuFlo Measuring Systems.  
A Division of NuFlo Technologies Inc.  
7944 - 10th Street N.E.  
Calgary, AB  
T2E 8W1

Att: M. Gerry Coraini / M.. Andy Seeger

**Re: Prolongation à l'avis d'approbation provisoire AG-0475C**

Nous désirons vous informer que la date d'expiration de l'avis d'approbation provisoire **AG-0475C** est, par la présente, prolongée jusqu'au 2007-01-26.

Une copie de la présente lettre de modification est envoyée à tous les détenteurs de l'avis d'approbation afin de les informer de la prolongation.

Veuillez agréer, Monsieur, nos salutations distinguées.

Copie authentique signée par :

Christian Lachance, P.Eng.  
Ingénieur Principal - Mesure des gaz  
Direction de l'Ingénierie et des Services de Laboratoire

cc: Liste d'envoi d'approbation