



Consumer and
Corporate Affairs Canada

Legal Metrology

Consommation
et Corporations Canada

Métrieologie légale

APPROVAL No. - N° D'APPROBATION

AV-2189 REV. 1

SEP 10 1992

NOTICE OF APPROVAL

Issued by statutory authority of the Minister of Consumer and Corporate Affairs Canada for (category of device):

Truck Refueller

APPLICANT / REQUÉRANT:

Gasboy of Canada Ltd.
430 Industrial Road
Box 6185, Station "D"
London, Ontario
N5W 5R6

MODEL(S) / MODÈLE(S):

8750

NOTE: This approval applies only to devices, the design, composition, construction and performance of which are, in every material respect, identical to that described in the material submitted, and that are typified by samples submitted by the applicant for evaluation for approval in accordance with sections 14 and 15 of the Weights and Measures Regulations. The following is a summary of principal features only.

AVIS D'APPROBATION

Émis en vertu du pouvoir statutaire du Ministre de Consommation et Corporations Canada, pour (catégorie d'appareil):

Distributeur pour camions

MANUFACTURER / FABRICANT:

Gasboy of Canada Ltd.
London, Ontario

RATING / CLASSEMENT:

45 to/à 225 LPM

REMARQUE: Cette approbation ne vise que les appareils dont la conception, la composition, la construction et le rendement sont identiques, en tout point, à ceux qui sont décrits dans la documentation reçue et pour lesquels des échantillons représentatifs ont été fournis par le requérant aux fins d'évaluation, conformément aux articles 14 et 15 du Règlement sur les poids et mesures. Ce qui suit est une brève description de leurs principales caractéristiques.

SUMMARY DESCRIPTION:

The truck refueller is for dispensing and measuring gasoline and diesel fuel.

The self-contained refueller incorporates the following components:

- 2-inch inlet line,
- 1¼-inch outlet line,
- Blackmer model XU2 pump,
- Liquid Controls model A-8125 air-eliminator (A8110 may be used if modified to A8125 specifications).
- Liquid Controls model C-42947 (Ass'y A2816) air check valve,
- Liquid Controls model M5 (Ass'y M1125) meter,
- Kraus Electronic Register, model MICON 100 IH,
- Gasboy recuperation chamber (Ass'y 26674).

This truck refueller can use 1¼ inch diameter delivery hose.

The following suffixes are to supplement the model designations:

Suffix X - denotes that the dispenser is supplied by a remote submersible centrifugal type pump of a design incapable of pumping air or vapour entrained at the pump's inlet. The dispenser is not equipped with an air-eliminator.

Suffix KE- denotes electronic keytrol, has a suffix of 10 through 120 to designate the number of key positions, eg KE40.

DESCRIPTION SOMMAIRE:

Le présent distributeur pour camions est destiné à la distribution et à la mesure de l'essence et du diesel.

Le présent distributeur autonome pour camions se compose des éléments suivants:

- une entrée de 2 po,
- une sortie de 1¼ po,
- une pompe volumétrique Blackmer, modèle XU2,
- un purgeur d'air Liquid Controls, modèle A-8125 (A8110 peut être utilisé s'il est modifié selon les spécifications du A8125)
- un clapet de retenu Liquid Controls, modèle C-42947 (montage A2816),
- un compteur Liquid Controls modèle M5 (montage M1125),
- un enregistreur électronique de Kraus, modèle MICON 100 IH,
- chambre de récupération Gasboy (montage 26474).

Le présent distributeur pour camions peut utiliser un boyau de 1¼ po diamètre.

Les suffixes suivants s'ajoutent aux désignations des modèles:

Le suffixe X indique que le distributeur est alimenté par une pompe de type centrifuge immergée à distance de type qui ne pompe pas d'air ni n'entraîne des vapeurs à l'aspiration de la pompe. Le distributeur ne comporte pas d'éliminateur d'air.

Le suffixe KE désigne l'appareil électronique Keytrol suivi des chiffres allant de 10 à 120 qui indiquent le nombre de positions de clés, par ex. KE40.

APPROVAL:

The design, composition, construction and performance of the device type(s) identified herein have been evaluated in accordance with regulations and specifications established under the Weights and Measures Act. Approval is hereby granted accordingly pursuant to subsection 3(1) of the said Act.

The marking, installation, use and manner of use in trade of devices are subject to inspection in accordance with regulations and specifications established under the Weights and Measures Act. Requirements relating to marking are set forth in sections 18 to 26 of the Weights and Measures Regulations. Installation and use requirements are set forth in Part V and in specifications established pursuant to section 27 of the said Regulations. A verification of conformity is required in addition to this approval. Inquiries regarding inspection and verification should be addressed to the local inspection office of Consumer and Corporate Affairs Canada.



R.G. Knapp

A/ Director
Legal Metrology Branch


APPROBATION:


La conception, la composition, la construction et le rendement du (des) type(s) d'appareils identifié(s) ci-dessus, ayant fait l'objet d'une évaluation conformément au Règlement et aux prescriptions établis sous la Loi sur les poids et mesures, la présente approbation est accordée en application du paragraphe 3(1) de ladite Loi.

Le marquage, l'installation et l'utilisation des appareils sont soumis à l'inspection conformément au Règlement et aux prescriptions établis sous la Loi sur les poids et mesures. Les exigences de marquage sont définies dans les articles 18 à 26 du Règlement sur les poids et mesures. Les exigences d'installation et d'utilisation sont définies dans la partie V et dans les prescriptions établies en vertu de l'article 27 dudit règlement. Une vérification de conformité est requise. Toute question sur l'inspection et la vérification de conformité doit être adressée au bureau local de Consommation et Corporations Canada.

92.09.10
Date

Directeur
Direction de la Métrologie légale





WARNING
DANGER OF
ELECTRIC SHOCK
BEFORE THE
DISCONNECT SWITCH
HAS BEEN REMOVED TO
BE RE-STARTED THE
MOTOR IS TO
RESTART.