

## STANDARDS DIVISION

OTTAWA ... December 17th, 1953.

Jakan Karana S

## NOTIFICATION OF TYPE LISTING

Under the provisions of the Weights and Measures Act, Chapter 36, S.C. 1951, and Regulations thereunder (P.C.6894), the apparatus specified and illustrated herein has been been listed as an approved device and may be used in Canada in accordance with the conditions applicable.

Apparatus Listed: Computing meter pump gasoline dispenser, Model Duo-2, manufactured by The Wayne Pump Company, Limited, 829 Richmond Street West, Toronto.

Rating of Apparatus: 10 gallons per minute each unit.

Application: Retail gasoline trade.

the constant of a b

أناه معروب

Conditions: As prescribed in P.C.6894, with the added mandatory requirement that the words "GLASS MUST BE FULL BEFORE AND AFTER DELIVERY", must appear on the visiglass fittings.

Description: This device consists of two complete meter pump assemblies operating independently of each other but housed within the one casing and may be used to dispense two different grades of gasoline.

The components used in each of these units are identical in construction to those used in Model Duo 1 listed on Circular SD-WA.161. Each hose serves a radius of 14 feet and is suspended outside the meter pump casing and the discharge nozzles are fitted with check valves.

Testing: The standard tests for a retail gasoline meter pump shall apply to each unit.

Assistant Director (W&Li),

Standards Division.

R. W. MacLean Director,

Standards Division.


Reference A: 284.

Branch St. Co.

MAYER

GASOLINE DISPENSING

MODEL DUO 2



Sec. 10.88. 15.