

DEPARTMENT OF TRADE AND COMMERCE STANDARDS DIVISION

OTTAWA. June 28th, 1957

APPROVAL LISTING

Gasoline dispensers - manufactured by A. O. Smith Corp., 5715 Smithway St., Los Angeles 22, California, U. S. A.

Under the provisions of the Weights and Measures Act, Chapter 292, R.S.C. 1952, and Regulations thereunder (P.C. 6894), the apparatus specified and illustrated herein have been listed as approved devices and may be used in Canada in accordance with the conditions applicable.

Apparatus Listed: Computing gasoline dispensers, single dispenser, model L3-DBP, twin dispenser models L3-DBP1 and L3-DBP2.

Rating of Apparatus: Maximum capacity 12 G.P.M. each dispensing unit.

Application:

Retail gasolime trade.

Conditions:

As prescribed in P.C. 6894.

ription:

These devices incorporate in their assembly the same meter and computing head as used in dispenser L3-DP (SD-WA.236). The combination air eliminator, strainer and pump assembly has been redesigned. Model L3-DBP is a single dispenser model equipped

with a 1/3 H.P. motor.

Model L3-DBPT2 consists of two separate dispensers similar to 13-DHP installed in a single casing for dispensing two products. Model L3-DBPT1 is a twin single product dispenser in a single housing with two registering heads, two meters and a single air eliminator and pump assembly operated by a 2 H.P. motor. The dispensers are equipped with register and switch interlocking devices. A single sight glass is provided for each dispenser unit. The diels of twin dispensers have arrows imprinted on their face to indicate which hose is used with each register.

Testing:

The standard tests for a gasoline dispenser shall apply.

C. S. Phillips, Assistant Director (W&M),

Standards Division.

Director,


Standards Division.

Reference:

≜-456

		 	4000,1700	appender in
	A		 	
			 -	
ALC: U			 	

(



Smith Geseline Dispensers
Model
LS-DEF

	- COLUMN 1
	And the state of t