



DEPARTMENT OF TRADE AND COMMERCE  
STANDARDS BRANCH

OTTAWA, February 6, 1964.

APPROVAL LISTING

S.F. BOWSER - REBUILT GASOLINE DISPENSERS

Under the provisions of the Weights and Measures Act, Chapter 292, R.S.C. 1952, and Regulations thereunder (P.C. 6894), the apparatus specified and illustrated herein have been listed as approved devices and may be used in Canada in accordance with the conditions applicable.

Apparatus Listed: Computing type gasoline dispensers; self-contained re-built from the component parts of previous approved models as listed below, together with the new model numbers of the re-built units.

Description:	Unlighted	Lighted	Capacity G.P.M.
	Model	Model	
Suction pump single product, rebuilt model 575	48M1	51M1	15
Suction pump, single product, rebuilt model 577	48M2	51M2	15
Suction pump, single product, rebuilt model 577TV	48M3	51M3	15

Manufactured by the S.F. Bowser Co. Ltd.,  
355 Sherman Ave. N., Hamilton, Ontario.

Rating of Apparatus: Maximum capacity 15 g.p.m.

Conditions: As prescribed in P.C. 6894

Application: Retail gasoline trade.

Description: While these units incorporate the components from older used models, they have been thoroughly overhauled to perform substantially as well as new ones before being installed in new housings. These housings are the same as in the series 48 and 51 dispensers, except that a new visigauge and interlock handle is used.

Rebuilt model 575 dispensers were previously approved installed in series 2500 housings and designated as model 575M.

Testing: The standard tests for a retail gasoline shall apply.

*C.S. Phillips*  
C.S. Phillips,  
Chief, Weights and Measures Division,  
Standards Branch.

*R.W. MacLean*  
R. W. MacLean,  
Director,  
Standards Branch.





(

(

SM.A-489

S.P. BOWSER - REBUILT  
GASOLINE DISPENSERS





<

( <