Consommation et corporations

Standards

Normes

NOTICE OF APPROVAL AVIS D'APPROBATION

S.WA-956

Ottawa, June 6, 1978

R.N.G. - HIGH SPEED DISPENSER - MODEL JRP-12-PD-HR1

MANUFACTURER: R.N.G. Equipment Limited

3311 St. Joseph Blvd. East

Montreal, P.Q.

DEVICES APPROVED: High speed self-serve dispenser for motor vehicle fuels, single unit, suction pump type, model no. $JRP-1\frac{1}{2}-PD-HR1$.

RATING: 6 to 30 gpm or 25 to 135 litre/min.

APPLICATION: Dispensing of motor vehicle fuels in retail and whole-sale trade, with deliveries restricted to 40 gallons or more.

DESCRIPTION: The liquid handling system consists of a 1½" Smith pump, a bulk type deaerator tank, a Liquid Controls air release unit, a non-return check valve, a strainer, a Liquid Controls M-5-B meter equipped with a Veeder Root register with pulser unit, a sight glass, a quick-closing valve and a 1½" dia. delivery hose, 25 ft. long with anti-drain nozzle, installed on a hose reel.

This dispenser may be used with the Petro-Vend Keegard self-serve keylock system.

MARKING: There shall be installed on the dispenser, in a location easily visible to the customer, a metal or plastic plaque with the following legend in letters at least ‡" high:

"Approved for delivery of 40 gallons or more."

TESTING: The standard tests for a gasoline dispenser shall apply; where a dispenser is bench-tested for use on diesel, diesel or No.2 fuel oil shall be used.

REFERENCES: G6950-D10-1 G6953-58/R8

Letter of Approval, August 4, 1976.

CONDITIONS OF APPROVAL: Approval is granted under the Weights and Measures Act, S.C. 1970-71-72, Chapter 36, and the Weights and Measures Regulations P.C. 1974-1461 of June 27, 1974 for use in Canada under the general conditions of the said Regulations, and under any special conditions listed above.

John Armstrong

Chief, Weights and Measures Legal Metrology Branch