



RECORD OF APPROVAL ACTION

Approval listing Number -

S.WA-1139

(Issued in advance of preparation of draft Approval Listing only in case of interim Approval).

Ottawa, August 9, 1979

Company Requesting Approval -

Dresser Industries Canada Limited
6688 Kitimat Road
Mississauga, Ontario L5N 1P8

Type of Device

Computing type gasoline dispensers for use with self-serve pre-pay systems, basic models are listed below:

<u>Model No.</u>	<u>Original S.W.A. Nos.</u>	
730	673 and 460 and 865	Suction pump, one hose
732	673 and 460 and 865	Suction pump, two hoses
733	673 and 460 and 865	Suction pump, two products /
734	673 and 445 and 865	Suction pump, single hose
760	673 and 515 and 865	Suction pump, blender

The pre-pay feature is designated by the suffix -19 added to the model number. The following prefixes and suffixes may also be used:

Prefix

- E- Electric reset
- 1-E Post/Pre money pulser
- 2-E Post/Pre gallon pulser

Suffix

- B- Flow indicator
- G- Filter
- YY- Pulser
- 1 Remote pump
- 2 High capacity

.../2

John Armstrong
Chief
Weights & Measures Division
Legal Metrology Branch

File No.

G 6953-W174-10



DESCRIPTION: The dispensers are almost identical to approved Post-Pay models, the only difference being the addition of a solenoid valve to accomplish slowdown (approx. 1 gpm) to ensure accurate shutoff at the preset amount. The operation of the dispenser and the dispenser interlocks are the same as on attended or Post-Pay models. Upon flow shutoff at preset the amount, no additional flow can be obtained until the dispenser is turned off, control console reauthorized, computer returned to zero and dispenser restarted. These dispensers can be used with cashiers' consoles similar to those on SWA-1115, SWA-1116, etc.

MARKING: All dispensers incorporating the Pre-Pay feature shall have installed on each dial face a permanent legend "in case of disagreement between this register and the cashier's register, this register shall be taken as correct" in letters at least 3/16" high. Only the original SWA number need appear on the dispenser.

