



Industry and Science  
Canada      Industrie et Sciences  
Canada

Legal Metrology  
Branch      Direction de la  
métrologie légale

Holland Avenue  
Ottawa, Ontario  
K1A 0C9      Avenue Holland  
Ottawa (Ontario)  
K1A 0C9

Telephone: (613) 952-0631      Téléphone: (613) 952-0631

Kraus Industries Ltd.  
P.O. Box 250,  
204 Day Street,  
Winnipeg, Manitoba  
R2C 1A8

Attn: Mr. Jim Kohut


**Re: Notification to Consolidate Notice of Approval S.WA-2056 Rev. 8 With  
Notice of Approval S.WA-1197 Rev. 6.**

Dear Jim:

Effective on the date on which Notice of Approval S.WA - 1197 Rev. 6 is issued, the model Micon - 100 IP approved under Notice of Approval S.WA - 2056 Rev. 8 will continue to be approved under Notice of Approval S.WA - 1197 Rev. 6 and any subsequent revisions to this document. All recipients of these Notices of Approval are being informed by copy of this letter. Please attach this letter to both Notices of Approval, S.WA - 1197 Rev. 6 and S.WA - 2056 Rev. 8.

This consolidation is being done to reduce the costs of any future Notice of Approval revisions pertaining to this and the other models of the device.

Yours truly,



D.W. Morgan, Manager  
Weights and Measures Laboratories

cc: Approvals Mailing List

**Canada**





Industry and Science

Canada

Legal Metrology

Industrie et Sciences

Canada

Métrologie légale

APPROVAL No. — N° D'APPROBATION

S.WA-1197 Rev. 6

MAR 21 1984

### NOTICE OF APPROVAL

Issued by statutory authority of the Minister of Industry,  
Science and Technology for:

#### CATEGORY OF DEVICE:

Electronic Register

### AVIS D'APPROBATION

Émis en vertu du pouvoir statutaire du ministre de  
l'Industrie, des Sciences et de la Technologie, pour:

#### CATÉGORIE D'APPAREIL:

Enregistreur électronique

#### APPLICANT / REQUÉRANT:

Kraus Industries Ltd.  
204 Day Street, P.O. Box 250  
Winnipeg, Manitoba  
R2C 1A8

#### MANUFACTURER / FABRICANT:

Kraus Industries Limited  
204 Day Street, P.O. Box 250  
Winnipeg, Manitoba  
R2C 1A8

#### MODEL(S) / MODÈLE(S):

MICON-100  
MICON-100-I  
MICON-100-IH  
MICON-100-IT  
MICON-100-IP

#### RATING:

Same as the device to which it is attached.  
See "Summary Description" for limitation on flowrates.

#### CLASSEMENT:

Identique à celui de l'appareil auquel l'enregistreur  
est relié. Voir "Description Sommaire" pour  
limitation des débits.



**SUMMARY DESCRIPTION: Cont'd**

When in the Inspector Mode of the MICON-100-IH, the decimal point in the gross registration is shifted one place to the left. To obtain the correct gross registration, the gross quantity shown must be multiplied by a factor of 10.

**MAIN COMPONENTS:**

- Liquid crystal display(s) with price per litre, volume and total sale display on all MICON models except model MICON-100-IT which only has a volume display;
- Photo electric dual channel pulser mounted under the explosion proof enclosure or can also be mounted on the measuring chamber of a meter (manufacturer's specifications);
- Power supply and electronics are located inside an explosion proof enclosure.

**METROLOGICAL FUNCTIONS:****Automatic Temperature Compensation (ATC):**

When ATC is used, volume correction factors for ATC are found in API TABLE 54B for gasoline and diesel fuel and in ASTM-IP TABLE 54 for liquified propane gas.

The sensor for the ATC is of the thermistor type and is installed directly into the liquid flow without a thermowell. The model number of the thermistor is 18115 and is marked on an adhesive plastic tag attached to the thermistor's cable.

A switch located on the back of one of the displays enables/disables the viewing of the temperature in degrees celsius and the gross volume delivered for inspection purposes of the ATC.

**DESCRIPTION SOMMAIRE: Suite**

Lorsque l'appareil MICON-100-IH est en mode d'inspection, le point décimal du volume brut enregistré est décalé d'une place vers la gauche. Pour obtenir le bon enregistrement, il faut multiplier la quantité brute affichée par 10.

**COMPOSANTS PRINCIPAUX:**

- Un ou des dispositif(s) d'affichage à cristaux liquides affichant le prix par litre, le volume et le total de la vente sur tout les modèles MICON à l'exception du modèle MICON-100-IT qui n'a que l'afficheur pour le volume.
- Un générateur d'impulsions photoélectrique à deux canaux installé dans le boîtier anti-déflagrant ou encore sur la chambre de mesure du compteur (spécifications du fabricant);
- L'alimentation électrique et les circuits électroniques sont installés dans le boîtier anti-déflagrant.

**FONCTIONS MÉTROLOGIQUES:****Compensation de Température Automatique (CTA):**

Lorsqu'utilisé avec le circuit pour CTA, le facteur de correction du volume de CTA se trouve dans le TABLE 54B de l'API pour l'essence et le diesel et dans la TABLE 54 de l'ASTM-IP pour le gaz de propane liquéfié.

Le capteur du CTA est de type à thermistance et est installé directement dans l'écoulement du liquide sans puits thermométrique. La thermistance porte le numéro de modèle 18115 inscrit sur une étiquette adhésive de plastique fixée sur le câble de la thermistance.

Un interrupteur placé au dos d'un des dispositifs d'affichage commande, à des fins d'inspection du CTA, le visionnement de la température en degrés Celsius et du volume brut livré.

**SUMMARY DESCRIPTION: Cont'd**

Inside the explosion proof housing, an electronic calibrator for ATC is factory set for gasoline, diesel fuel or liquefied propane gas.

**Parameter Configuration:**

The operating parameters of the register are activated by eight (8) DIP switches which are located inside the sealed housing. Alternatively, a remote communicator called INFO-PAC is used to transmit configuration parameters during the installation.

**Approved Software:**

When used with the INFO-PAC, the MICON models use the 7.0 software version which is displayed in the price per unit display. The software version is displayed by turning the pump handle on, and while all segments are displayed as eights, the pump handle is then turned off. The software version will be displayed for approximately two seconds. Alternatively, the software version can also be displayed by turning the power off to the register and waiting for all displays to go blank, then turning the pump handle on to view the software version in the price per volume display.

The MICON models use the 2.4 (or 3.0) software version for ATC. This version is identified in the inspector's mode on the price per unit display as 24XX (or 30XX) for gasoline, diesel fuel and liquified propane gas. The first two digits identify the software version, the third digit identifies the no flow time out and the fourth digit identifies the input multiplier.

**DESCRIPTION SOMMAIRE: Suite**

A l'intérieur du boîtier anti-déflagrant, un étalonneur électronique pour le CTA est réglé en usine pour l'essence, le diesel ou le gaz de propane liquéfié.

**Paramètre de configuration:**

Les paramètres d'opération de l'enregistreur sont activés par une rangée de huit (8) commutateurs DIP situés à l'intérieur du boîtier scellé. Alternativement, un dispositif de communication à distance appelé INFO-PAC sert à transmettre les paramètres de configuration lors de l'installation.

**Logiciel Approuvé:**

Lorsqu'utilisé avec l'INFO-PAC, les modèles MICON utilisent la version du logiciel 7.0 qui est affichée dans l'afficheur du prix par volume. La version du logiciel est affichée en activant le bras du distributeur et pendant que tous les segments sont affichés comme étant des huit, le bras du distributeur est alors remis à la position arrêt. La version du logiciel sera affichée pour deux secondes approximativement. Alternativement, la version du logiciel peut être affichée en mettant le registre hors tension et après que tous les afficheurs seront éteints, le bras du distributeur est alors mis à la position marche afin de voir la version du logiciel dans l'afficheur du prix par volume.

Les modèles MICON utilisent le logiciel de version 2.4 (ou 3.0) pour les CTA. Cette version est identifiée dans le mode de l'inspecteur sur le dispositif d'affichage du prix unitaire comme 24XX (ou 30XX) pour l'essence, le diesel et le gaz de propane liquéfié. Les deux premiers chiffres désignent la version du logiciel, le troisième indique le délai sans écoulement et le quatrième indique le multiplicateur d'entrée.

**SUMMARY DESCRIPTION: Cont'd****SEALING REQUIREMENTS:**

The dip switches for the electronic meter calibrator and for the configuration of parameters and the electronic calibrator for ATC are located within the explosion proof housing which is sealed. A minimum of two adjacent cover bolts are drilled to accommodate the Weights and Measures seal.

Also located in the sealed explosion proof housing is a switch which is used to enable/disable the transmission of the configuration parameters via the INFO-PAC. If the switch is not present, pins 6 and 9 must be shorted on connector labelled P3 in order to enable the transmission via the INFO-PAC.

The hex nut of the sensing element for the ATC has a hole drilled through it to accommodate the Weights and Measures seal.

**OPTIONS:**

The register may be equipped with a mechanical totalizer that registers 1/4, 1/2 or 1 times the actual volume. This totalizer must indicate the applicable factor, which depends upon the meter gearing. The mechanical totalizer registers uncompensated uncalibrated volume, when ATC and/or electronic calibrator is used. This totalizer is for non-trade use only.

Inside the explosion proof housing, the MICON models can have an electronic meter calibrator that is activated by another set of eight (8) DIP switches to obtain the correction factor which will adjust the meter. A chart supplied by KRAUS gives the setting of these switches for various corrections in the range  $\pm 12.75\%$ . When not used with electronic meter calibration, the meter must be calibrated mechanically.

**DESCRIPTION SOMMAIRE: Suite****SCELLAGE:**

Les commutateurs DIP pour étalonner le compteur électroniquement et pour les paramètres de configurations et l'étalonneur électronique de CTA se trouvent dans le boîtier anti-déflagrant qui est scellé. Au moins deux boulons adjacents du couvercle doivent être percés pour recevoir le scellé de Poids et Mesures.

Dans le boîtier anti-déflagrant scellé, on retrouve également un interrupteur qui autorise la transmission des paramètres de configuration par l'entremise de l'INFO-PAC. Si un tel interrupteur n'existe pas, les broches 6 et 9 doivent être court-circuitées sur le connecteur p3 afin d'autoriser la transmission par l'entremise de l'INFO-PAC.

L'écrou hexagonal de l'élément capteur du CTA est percé d'un trou afin de pouvoir recevoir le plomb de Poids et Mesures.

**OPTIONS:**

L'enregistreur peut être équipé d'un totalisateur mécanique qui enregistre 1/4, 1/2 ou 1 fois le volume réel. Ce totalisateur doit indiquer le facteur applicable, selon le système d'engrenages du compteur. Le totalisateur mécanique enregistre un volume non corrigé et non étalonné lorsqu'un CTA ou un étalonneur électronique est utilisé. Il ne doit pas être utilisé dans le commerce.

A l'intérieur du boîtier anti-déflagrant, les modèles MICON peuvent être doté d'un étalonneur de compteur électronique actionné par une autre rangée de huit (8) commutateurs DIP afin d'obtenir le facteur de correction qui permettra de régler le compteur. Un tableau fourni par KRAUS indique la position de réglage de ces commutateurs pour les diverses corrections dans une plage de  $\pm 12.75\%$ . Lorsqu'il n'est pas utilisé avec l'étalonneur de compteur électronique, le compteur doit être calibré mécaniquement.

**SUMMARY DESCRIPTION: Cont'd**

The electronic register may incorporate a time delay switch that will stop the dispenser if no product is dispensed. The time delay, when so equipped, may be 15 seconds minimum to 45 seconds maximum.

**REVISIONS:**

The purpose of this revision is to clarify the metrological functions and the sealing requirements and to add the INFO-PAC for use with MICON models equipped with the new software version 7.0.

Also, the model MICON-100-IP which was previously approved under Notice of Approval S.WA-2056 Rev.8 dated March 25, 1992, will henceforth be approved under this Notice of Approval and any subsequent revisions thereof, effective the date of issue of this Notice of Approval.

**DESCRIPTION SOMMAIRE: Suite**

L'enregistreur électronique peut comprendre un commutateur de temporisation qui interrompra le fonctionnement du distributeur lorsqu'il marche à vide. Le délai, le cas échéant, peut varier entre 15 secondes au moins et 45 secondes au plus.

**RÉVISIONS:**

Cette révision a pour but de clarifier les fonctions métrologiques et le scellage et l'ajout de l'INFO-PAC pour l'utilisation avec les modèles MICON équipés avec la nouvelle version du logiciel 7.0.

Aussi, l'appareil de marque MICON-100-IP qui était approuvé précédemment sous l'avis d'approbation S.WA-2056 Rév.8 en date du 25 Mars 1992, sera dorénavant approuvé sous cet avis d'approbation et toutes autres révisions subséquentes à ce sujet, prendra effet à la date de publication de cet avis d'approbation.

**SUMMARY DESCRIPTION: Cont'd****DESCRIPTION SOMMAIRE: Suite****APPROVAL:**


The design, composition, construction and performance of the device type(s) identified herein have been evaluated in accordance with regulations and specifications established under the Weights and Measures Act. Approval is hereby granted accordingly pursuant to subsection 3(1) of the said Act.

The marking, installation and manner of use of trade devices are subject to inspection in accordance with regulations and specifications established under the Weights and Measures Act. Requirements relating to marking are set forth in sections 18 to 26 of the Weights and Measures Regulations. Installation and use requirements are set forth in Part V and in specifications established pursuant to section 27 of the said Regulations. A verification of conformity is required in addition to this approval. Inquiries regarding inspection and verification should be addressed to the local inspection office of Industry Canada.

**APPROBATION:**

La conception, la composition, la construction et le rendement du(des) type(s) d'appareils identifié(s) ci-dessus, ayant fait l'objet d'une évaluation conformément au Règlement et aux prescriptions établis aux termes de la Loi sur les poids et mesures, la présente approbation est accordée en application du paragraphe 3(1) de ladite Loi.

Le marquage, l'installation, et l'utilisation commerciales des appareils sont soumis à l'inspection conformément au Règlement et aux prescriptions établis aux termes de la Loi sur les poids et mesures. Les exigences de marquages sont définies dans les articles 18 à 26 du Règlement sur les poids et mesures. Les exigences d'installation et d'utilisation sont définies dans la partie V et dans les prescriptions établies en vertu de l'article 27 dudit règlement. Une vérification de conformité est requise. Toute question sur l'inspection et la vérification de conformité doit être adressée au bureau local d'Industrie Canada.



D. W. Morgan  
Manager,  
Weights and Measures Laboratories

Date:

MAR 21 1994

Gérant,  
Laboratoires des Poids et mesures

