



Consumer and  
Corporate Affairs Canada

Legal Metrology

Consommation  
et Corporations Canada

Métrieologie léale

APPROVAL No. - N° D'APPROBATION

S.WA-2068

JUN 22

### NOTICE OF APPROVAL

TRANSAC CASH REGISTER/CONTROL CONSOLE

Company: Gilbarco Canada Ltd.,  
1360 California Avenue  
Brockville, Ontario  
K6V 5X2

Manufacturer: Gilbarco  
7300 Friendly Avenue, W.  
P.O. Box 22087  
Greensboro, NC  
USA 27420

Type of Device: Electronic cash  
register/control console.

Model Number: TCR-14

Application: For use in convenience stores  
having self-serve fuel dispensers or at  
self-serve service stations.

Description: The TCR-14 integrates  
console and cash register functions.

This device interfaces with the Gilbarco  
Multi-Product Dispensers (MPD), Highline  
III-B and all approved and compatible  
dispensers with a Retropac register with  
2 wire interface. It can be programmed  
for prepay, postpay, attendant serve and  
self-serve modes.

These modes control a maximum of 16  
dispensers handling 6 grades of fuel,  
controlling both the dispensers  
operations and the point of sales  
functions and providing a wide range of  
management information.

### AVIS D'APPROBATION

CAISSE ENREGISTREUSE/PUPITRE DE  
COMMANDE - TRANSAC

Société: Gilbarco Canada Ltée  
1360, avenue California  
Brockville, Ontario  
K6V 5X2

Fabricant: Gilbarco  
7300, avenue Friendly Ouest  
Boite Postale 22087  
Greensboro, NC  
E-U, 27420

Appareil: Caisse enregistreuse/pupitre  
de commande électronique.


N° de modèle: TCR-14

Application: Pour utiliser dans les  
dépanneurs ayant à un libre-service  
pour distributeurs de carburant ou aux  
stations libre-service.

Description: Le TCR-14 incorpore un  
pupitre de commande et une caisse  
enregistreuse.

Cet appareil se rattache avec les  
distributeurs Multi-produits de  
Gilbarco (MPD), le Highline III-B et  
tout distributeurs approuvés et compa-  
tibles ayant un enregistreur Retropac à  
deux fils conducteurs d'interface. Il  
peut être programmé pour fonctionner  
selon les modes suivants; prépayé,  
postpayé, station de service avec  
préposé et pour libre-service.

Ces modes contrôlent un maximum de 16  
distributeurs livrant 6 différents  
grades de carburant, remplissant la  
fonction double d'opération des distri-  
buteurs ainsi que les fonctions d'un  
point de vente permettant un éventail  
de renseignements pour la gestion.



Description: Continued

There is a built-in journal, a receipt type printer and a high vacuum fluorescent tube digital and alphanumeric display.

The receipt ticket from the printer must show:

- Date and location of the dispensers;
- Transaction number;
- Product identification on an unmistakable abbreviation, e.g. GAS, DSL, LPG;
- Unit of volume (Gallons or litres or their abbreviations, gal. or *ℓ*, L);
- Price per unit of volume; and
- Total sale.

Description: Suite

Un journal des transactions, une imprimante sur ruban de caisse et le dispositif d'affichage numérique et alphanumérique à tubes, sous-vide, fluorescents y sont incorporés.

Le ruban de caisse de l'imprimante doit indiqué:

- Date et adresse des distributeurs;
- Numéro de transaction;
- Identification du produit ou une abbreviation qui ne se prête à la confusion, soit ESS, DSL, GPL;
- Unité de volume (Gallons ou litres ou leur abbréviations GAL, ou *ℓ*, L);
- Prix unitaire; et
- Le montant total de la vente.

- 3 -

Description: Continued

Other models come without stores department key, these units serve as a self-serve console.

This device can be accessed by a host computer via a RS-232 interface.

NOTE: The TCR-14 shall not reset the dispenser register to zero prior to the completion of the monetary transaction.

Manner of Use: Use in trade is permitted in accordance with sound measurement practice and with instructions for use provided by the manufacturer.

Required Markings: Markings shall be in accordance with the applicable requirements of the Weights and Measures Regulations.

Conditions of Approval: Approval is granted under the Weights and Measures Act, S.C. 1970-71-72, chapter 36, and the Weights and Measures Regulations C.R.C.c., 1605 for use in Canada under the general conditions of the said Regulations, and under any special conditions listed above.

Reference no.: G6953-G188-30

Description: Suite

D'autres modèles peuvent être installés sans clé départementale pour dépanneurs, ils serviront alors comme pupitre de commande pour libre-service.

Cet appareil peut-être raccordé à un ordinateur par une interface RS-232.


Remarque: Le TCR-14 ne doit pas effectuer la remise à zéro de l'enregistreur du distributeur avant que la transaction monétaire ne soit complétée.

Mode d'emploi: Les appareils peuvent être utilisés à des fins commerciales pourvu qu'ils le soient selon une méthode de mesurage fiable et conformément au mode d'emploi fourni par le fabricant.

Marquages: Les appareils doivent porter les inscriptions requises en vertu des exigences applicables du Règlement sur les poids et mesures.

Conditions d'approbation: L'approbation est accordée conformément à la Loi sur les poids et mesures S.R.C. 1970-71-72, chapitre 36, et au Règlement d'application C.R.C.c. 1605. L'emploi est autorisé au Canada sous réserve des conditions générales dudit règlement et de toutes les conditions particulières formulées dans le présent avis.

N° de référence: G6953-G188-30



W.R. Virtue

Chief  
Legal Metrology Laboratories

Chef  
Laboratoires de la Métrologie légale

JUN 22 1984